Letters in Applied Microbiology

Edited by

D.E.S. Stewart-Tull, C.R. Harwood,

& P.J. Blackall

Volume 28, 1999

Copyright © 1999, by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

CODEN LAMIE7 ISSN 0266-8254

Published by
Blackwell Science Ltd
OXFORD LONDON EDINBURGH BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 28, Number 1, January 1999

1 Editorial

3 Instructions for authors

7 An evaluation of the suitability of the European suspension test to reflect *in vitro* activity of antiseptics against clinically significant organisms *D.N. Payne, J.R. Babb & C.R. Bradley*

13 Effect of permeabilizers on antibiotic sensitivity of *Pseudomonas aeruginosa H.M. Ayres, J.R. Furr & A.D. Russell*

17 Spacer 2 region and 5S rDNA variation of *Wolbachia* strains involved in cytoplasmic incompatibility or sex-ratio distortion in arthropods *M.M.M. van Meer, F.J.P.M. van Kan & R. Stouthamer*

23 Evaluation of a commercial fluorochromic system for the rapid detection and estimation of wine lactic acid bacteria by DEFT *J.A. Couto & T. Hogg*

27 *Escherichia hermanii* – a new bacterial strain for chlorobenzene degradation *J. Kiernicka, C. Seignez & P. Peringer*

31 Isolation of *Arcobacter butzleri* from ground water *E.W. Rice, M.R. Rodgers, I.V. Wesley, C.H. Johnson & S.A. Tanner*

36 The fate of *Salmonella enteritidis* PT4 in home-made mayonnaise prepared with critic acid *R. Xiong, G. Xie & A.S. Edmondson*

41 Increased levansucrase production by a genetically modified *Acetobacter diazotrophicus* strain in shaking batch cultures *L. Hernández, R. Ramírez, J.V. Hormaza, J. Madrazo & J. Arrieta*

45 Sub-lethal damage of *Listeria monocytogenes* after long-term chilled storage at 4 °C *G.A. Dykes & K.M. Withers*

49 Failure to recover *Bacillus thuringiensis* from the Lützow-Holm Bay region of Antarctica *N. Wasano, S. Imura & M. Ohba*

52 PCR for the detection of *Campylobacter* spp. in clinical specimens *T. Vanniasinkam, J.A. Lanser & M.D. Barton*

57 Isolation of endospore-forming bacilli toxic to *Culiseta longiareolata* (Diptera: Culicidae) in Jordan *H. Khyami-Horani, A. Katbeh-Bader & Z.H. Mohsen*

61 The degradation of sodium *O,O*-diethyl dithiophosphate by bacteria from metalworking fluids *R.E. Sherburn & P.J. Large*

66 Evaluation of alkaline phosphatase- and digoxigenin-labelled probes for detection of the thermolabile hemolysin *(tlh)* gene of *Vibrio parahaemolyticus* *S.A. McCarthy, A. DePaola, D.W. Cook, C.A. Kaysner & W.E. Hill*

71 Resistance of heat-shocked cells of *Listeria monocytogenes* to mano-sonication and mano-thermo-sonication *R. Pagán, P. Mañas, A. Palop & F.J. Sala*

76 Survival and chromate reducing ability of *Pseudomonas aeruginosa* in industrial effluents *A. Ganguli & A.K. Tripathi*

81 Reducing bacterial resistance to antibiotics with ultrasound *A.M. Rediske, N. Rapoport & W.G. Pitt*

85 Requirement of Ca^{2+} for aflatoxin production: inhibitory effect of Ca^{2+} channel blockers on aflatoxin production by *Aspergillus parasiticus* NRRL 2999 *J.Praveen Rao & C. Subramanyam*

89 Fate of *Escherichia coli* O157: H7 in unpasteurized milk stored at 8 °C *S. Massa, E. Goffredo, C. Altieri & K. Natola*

Volume 28, Number 2, February 1999

93 The fate of environmental coliforms in a model water distribution system *S.M. McMath, C. Sumpter, D.M. Holt, A. Delanoue & A.H.L. Chamberlain*

98 A new growth and *in vitro* sporulation medium for *Clostridium perfringens M. Meyer & J.L. Tholozan*

103 Phototoxicity of Rose Bengal in mycological media–implications for laboratory practice *K.F. Chilvers, R.H. Reed & J.D. Perry*

108 Psychrotrophic clostridia mediated gas and botulinal toxin production in vacuum-packed chilled meat *S.M. Moorhead & R.G. Bell*

113 Evaluation of a Multiplex PCR assay for simultaneous indentification of *Salmonella* sp., *Salmonella* Enteritidis and *Salmonella* Typhimurium from environmental swabs of poultry houses *C. Soumet, G. Ermel, N. Rose, V. Rose, P. Drouin, G. Salvat & P. Colin*

118 Inhibitory effect of creosote and its main components on production of verotoxin of enterohaemorrhagic *Escherichia coli* O157:H7 *Y. Sakagami, R. Ichise, K. Kajimura & H. Yokoyama*

121 Biofilm formation by *Helicobacter pylori R.M. Stark, G.J. Gerwig, R.S. Pitman, L.F. Potts, N.A. Williams, J. Greenman, I.P. Weinzweig, T.R. Hirst & M.R. Millar*

127 Screening fungi for synthesis of keratinolytic enzymes *J. Friedrich, H. Gradisar, D. Mandlin & J.P. Chaumont*

131 Keratinolytic activity from the broth of a feather-degrading thermophilic *Streptomyces thermoviolaceus* strain SD8 *R.R. Chitte, V.K. Nalawade & S. Dey*

137 Discrimination of *Rhizobium tropici* and *R. leguminosarum* strains by PCR-specific amplification of 16S-23S rDNA spacer region fragments and denaturing gradient gel electrophoresis (DGGE) *V.M. de Oliveira, H.L.C. Coutinho, B.W.S. Sobral, C.T. Guimarães, J.D. van Elsas & G.P. Manfio*

142 Improvement of tylosin fermentation by mutation and medium optimization *S.H. Lee & Y.-T. Rho*

145 Antibacterial activity of plant extracts on phytopathogenic *Xanthomonas campestris* pathovars *S. Satish, K.A. Raveesha & G.R. Janardhana*

148 Comparison of melibiose utilizing baker's yeast strains produced by genetic engineering and classical breeding *S.F. Vincent, P.J.L. Bell, P. Bissinger & K.M.H. Nevalainen*

153 The viability of bifidobacteria introduced into kimchi *S.K. Lee, G.E. Ji & Y.H. Park*

157 Letters to the Editor

Volume 28, Number 3, March 1999

159 Human ileostomy glycoproteins as a model for small intestinal mucus to investigate adhesion of probiotics *E.M. Tuomola, A.C. Ouwehand & S.J. Salminen*

164 Antibiotic resistance of native and faecal bacteria isolated from rivers, reservoirs and sewage treatment facilities in Victoria, south-eastern Australia *P.I. Boon & M. Cattanach*

169 Genetic characterization of naturally occurring *Rhizobium meliloti* populations and their potential to form effective symbioses with lucerne *C.M. Gandee, S.P. Harrison & W.P. Davies*

175 Use of pyrrolidonyl peptidase to distinguish *Citrobacter* from *Salmonella A.R. Bennett, S. MacPhee, R. Betts & D. Post*

179 Antiaflatoxigenic activity of eugenol is due to inhibition of lipid peroxidation *T. Jayashree & C. Subramanyam*

184 The effect of wind speed and direction on the distribution of sewage associated bacteria *P. Smith, C. Carroll, B. Wilkins, P. Johnson, S.Nic Gabhainn & L.P. Smith*

189 Nisin A depletes intracellular ATP and acts in bactericidal manner against *Mycobacterium smegmatis T.J. Montville, H.-J. Chung, M.L. Chikindas & Y. Chen*

194 Morphological changes of synchronized *Campylobacter jejuni* populations during growth in single phase liquid culture *C. Thomas, D.J. Hill & M. Mabey*

199 Actinorhodin production by *Streptomyces coelicolor* A3(2) in iron-restricted media *S. Coisne, M. Béchet & R. Blondeau*

203 Selective sugar consumption by apiculate yeasts *M. Ciani & F. Fatichenti*

207 Assessment of microbial parameters as indicators of viral contamination of aerosol from urban sewage treatment plants *A. Carducci, C. Gemelli, L. Cantiani, B. Casini & E. Rovini*

211 Growth of moulds inoculated into commercial mineral water *H. Fujikawa, J. Aketagawa, M. Nakazato, T. Wauke, H. Tamura, S. Morozumi & T. Itoh*

216 Behaviour of *Listeria monocytogenes* under combined chilling processes *J.-M. Membré, T. Ross & T. McMeekin*

221 Detection of toxigenic strains of *Bacillus cereus* and other *Bacillus* spp. with an improved cytotoxicity assay *S.H. Beattie & A.G. Williams*

226 Biopreservation in modified atmosphere stored mungbean sprouts: the use of vegetable-associated bacteriocinogenic lactic acid bacteria to control the growth of *Listeria monocytogenes M.H.J. Bennik, W. van Overbeek, E.J. Smid & L.G.M. Gorris*

233 Identification of a gene encoding an immuno-reactive membrane protein from *Campylobacter jejuni P.L. Connerton & I.F. Connerton*

238 Biodegradation of lindane (γ-hexachlorocyclohexane) by the white-rot fungus *Trametes hirsutus B.K. Singh & R.C. Kuhad*

242 Letter to the Editor

Volume 28, Number 4, April 1999

245 Influence of sample preparation technique on two-dimensional gel electrophoresis of proteins from *Porphyromonas gingivalis A.M. Pridmore, D.A. Devine, W.A. Bonass & P. Silley*

250 Extent of humification of anthracene, fluoranthene, and benzo[α]pyrene by *Pleurotus ostreatus* during growth in PAH-contaminated soils *B.W. Bogan, R.T. Lamar, W.D. Burgos & M. Tien*

255 Induction of *rpoS* in *Salmonella typhimurium* by nutrient-poor and depleted media is slower than that achieved by a competitive microflora *T.G. Aldsworth, C.E.R. Dodd & G.S.A.B. Stewart*

258 Presence of a 20 bp insertion/deletion in the ITS1 region of *Verticillium lecanii R. Zare, V.N. Kouvelis, M.A. Typas & P.D. Bridge*

263 Differentiation of mitochondrial subgroups in the *Verticillium lecanii* species complex *V.N. Kouvelis, R. Zare, P.D. Bridge & M.A. Typas*

269 Evaluation of a molecular identification scheme based on 23S rRNA gene polymorphisms for differentiating canine and feline gastric *Helicobacter* spp. *K. Jalava, S. Hielm, U. Hirvi & U. Hänninen*

275 An investigation of the presence of ultramicrocells in natural mineral water *C.R. Jones, A.H.L. Chamberlain & M.R. Adams*

280 Development and evaluation of a 24 well microtitre plate method for isolation of *Listeria* spp. or *Listeria monocytogenes* from foods *D.H. Kang & D.Y.C. Fung*

285 The use of *hipO*, encoding benzoylglycine amidohydrolase (hippuricase), as a reporter of gene expression in *Campylobacter coli S.F. Park*

291 Comparative evaluation of the antimicrobial activities of essential oils of *Artemisia afra*, *Pteronia incana* and *Rosmarinus officinalis* on selected bacteria and yeast strains *T. Mangena & N.Y.O. Muyima*

297 An improved growth medium for *Flavobacterium psychrophilum H. Daskalov, D.A. Austin & B. Austin*

300 Environmental factors and nutritional utilization patterns affect niche overlap indices between *Aspergillus ochraceus* and other spoilage fungi *H.B. Lee & N. Magan*

305 An extrachromosomal prophage naturally associated with *Bacillus thuringiensis* serovar *israelensis K. Kanda, T. Ohderaotoshi, A. Shimojyo, F. Kato & A. Murata*

309 Itaconic acid production by *Aspergillus terreus* on raw starchy materials *M. Petruccioli, V. Pulci & F. Federici*

313 High pressure response of fruit jams contaminated with *Listeria monocytogenes G. Préstamo, P.D. Sanz, M. Fonberg-Broczek & G. Arroyo*

317 Gene transfer in bacteria from soils contaminated with heavy metals *K. Lawlor, A.M. Chaudri, S.P. McGrath & P.R. Hirsch*

321 *Streptomyces lividans* as a host for the production and secretion of *Escherichia coli* TEM β-lactamase *C. Isiegas, V. Parro & R.P. Mellado*

327 Traditional ribotyping shows a higher discrimination than the automated RiboPrinter™ system in typing *Vibrio cholerae* 01 *A. Dalsgaard, A. Forslund & V. Fussing*

363 Isolation, partial purification and characterization of a bacteriocin produced by a newly isolated *Bacillus subtilis* strain *G. Zheng & M.F. Slavik*

368 Presence of peptidase activities in different varieties of cheese *M. Gatti, M.E. Fornasari, G. Mucchetti, F. Addeo & E. Neviani*

373 Nisin and ALTA™ 2341 inhibit the growth of *Listeria monocytogenes* on smoked salmon packaged under vacuum or 100% CO_2 *E.A. Szabo & M.E. Cahill*

378 Specific primers for the detection of vip3A insecticidal gene within a *Bacillus thuringiensis* collection *W.C. Rice*

383 The filamentous fungus *Aspergillus nidulans* produces an α-L-rhamnosidase of potential oenological interest *M. Orejas, E. Ibájas & D. Ramón*

389 Osmotic stress on dilution of acid injured *Escherichia coli* O157:H7 *K.N. Jordan, S. Hall & P.J. McClure*

394 Improved cytotoxicity assay for *Bacillus cereus* diarrhoeal enterotoxin *P. Fletcher & N.A. Logan*

401 Purification and characterization of β-glucosidase from *Aspergillus niger* strain 322 *A. Peshin & J.M.S. Mathur*

405 Abundance and distribution of bacteria carrying *sltII* gene in natural river water *K. Kurokawa, K. Tani, M. Ogawa & M. Nasu*

Volume 28, Number 5, May 1999

335 Shiga toxin-producing *Escherichia coli* in sheep and pre-slaughter lambs in eastern Australia *N. Fegan & P. Desmarchelier*

340 Synergistic effect of heat and sodium lactate on the thermal resistance of *Yersinia enterocolitica* and *Listeria monocytogenes* in minced beef *C.M.M. McMahon, A.M. Doherty, J.J. Sheridan, I.S. Blair, D.A. McDowell & T. Hegarty*

345 A peculiar behaviour for cell death induced by weak carboxylic acids in the wine spoilage yeast *Zygosaccharomyces bailii L. Fernandes, M. Côrte-Real & C. Leão*

350 Bacterial surface display of an anti-pollutant antibody fragment *J.K. Dhillon, P.D. Drew & A.J.R. Porter*

355 Lacticin 3147 displays activity in buffer against Gram-positive bacterial pathogens which appear insensitive in standard plate assays *M. Galvin, C. Hill & R.P. Ross*

359 Effect of *Bacillus thuringiensis* and a pyrethroid insecticide on the leaf microflora of *Brassica oleracea D. Russell, J. Chard & R. McKinlay*

Volume 28, Number 6, June 1999

411 Evaluation of an alternative extraction procedure for enterotoxin determination in dairy products *A. Meyrand, V. Atrache, C. Bavai, M.P. Montet & C. Vernozy-Rozand*

416 Detection of IgG antibody to Bovine Leukaemia Virus in urine and serum by two enzyme immunoassays *K.T. Carli, A. Sen, H. Batmaz & E. Kennerman*

419 Secretion of lysine in a broth medium by lactic bacteria and yeasts associated with garri production using a synthetic gene *N. Okafor, B.C. Okeke, C. Umeh & C. Ibeneghu*

423 Inhibitory activity of *Paenibacillus polymyxa* SCE2 against human pathogenic micro-organisms *L. Seldin, F. Silva de Azevedo, D.S. Alviano, C.S. Alviano & M.C. de Freire Bastos*

428 Cysteine protease is a major exotoxin of pathogenic luminous *Vibrio harveyi* in the tiger prawn, *Penaeus monodon P.-C. Liu & K.-K. Lee*

431 Mechanism of thermostability in thermolysin – analysis of subsite S2 mutant enzymes of thermolysin *M. Kobo, K. Itoh, K. Nishikawa, F. Hasumi & K. Inouye*

435 Shiga toxin-producing *Escherichia coli* O157 in feedlot cattle and Norwegian rats from a large-scale farm *A. Čížek, P. Alexa, I. Literák, J. Hamřik, P. Novák & J. Smola*

440 Characterization of *Bacillus thuringiensis* serovar *bolivia* (serotype H63), a novel serovar isolated from the Bolivian high valleys *M.D. Ferrandis, R. Andrew, M. Porcar, J. Iriarte, V. Cosmao-Dumanoir, M.-M. Lecadet, P. Caballero & J. Ferré*

445 An easy colorimetric assay for screening and qualitative assessment of deiodination and dehalogenation by bacterial cultures *T. Kuritz*

448 Prevalence and antimicrobial susceptibility of staphylococci isolated from saliva of clinically normal cats *W. Lilenbaum, A.L. Esteves & G.N. Souza*

453 A novel double-membrane system for simultaneous nitrification and denitrification in a single tank *Y.J. Chang & S.K. Tseng*

457 Formation of a chiral acetoinic compound from diacetyl by *Escherichia coli* expressing *meso*-2,3-butanediol dehydrogenase *S. Ui, A. Mimura, M. Ohkuma & T. Kudo*

461 Effect of higher pasteurization temperatures, and longer holding times at 72°C, on the inactivation of *Mycobacterium paratuberculosis* in milk *I.R. Grant, H.J. Ball & M.T. Rowe*

466 Symbiotic effectiveness, rate of respiration and glutamine synthetase activity of sodium azide-resistant strains of *Rhizobium leguminosarum* biovar *trifolii A.S. Yadav, M. Vasudeva, K.K. Upadhyay, S.K. Sawhney & R.K. Vashishat*

471 Index